



See online
technical sheet

/ AFPTA-POLO10

Arc Flash poloshirt, APC 1, ATPV 10 cal/cm², ELIM 8.2 cal/cm²



/ Standards

- EN ISO 11612:2015 (Flamme and heat) : A1, A2, B1, C1, F1
- EN1149 (Electrostatic property) : EN1149-5
- IEC 61482-2
- ELIM (cal/cm²) : 8.2
- CE category : Catégory 3

/ Use

Soft and breathable Arc Flash poloshirt, to be worn under Arc Flash garments in all seasons. Protection against thermal effects of an electric arc. For electricians, against risks associated with maintenance and operating work in industry and mobility.

/ Advantages


- Comfortable, breathable fabric for good heat exchange
- Dual certification using 2 test methods: BOX TEST & OPEN ARC
- Double qualification according to ATPV and ELIM for OPEN ARC
- No metal parts (non-magnetic)
- Very light: good weight/performance ratio
- ATPV protection level visible on garment

/ Areas of activity

- | | |
|--|---|
|  Cable & Connections |  Civil security |
|  Industry |  Electric traction |
|  Electric mobility | |

/ Technical specifications

- **Size** : S, M, L, XL, 2XL, 3XL, 4XL
- **Main color** : Bleu marine
- **Fastening** : Button
- **Collar style** : Shirt collar
- **Workwear color** : Orange
- **Cloth composition table** : Tissu - 48% modacrylic 42% cotton 5% para-aramide 3% polyamid 2% antistatic fiber - 250 g/m²



/ Measurement table

Size	Measurement type	Value	Measurement unit
S	Chest	85-92	cm
M	Chest	93-100	cm
L	Chest	101-108	cm
XL	Chest	109-116	cm
2XL	Chest	117-124	cm
3XL	Chest	125-132	cm
4XL	Chest	133-140	cm