



See online
technical sheet

/ C90B - C90H

Safety shoes, non-metallic, S3 FO WRU SRC



/ Standards

- EN ISO 20345:2011 : S3
- Heel energy absorption : E
- Electrical properties : A
- Water resistance : WRU
- Slip resistance 2011 : SRC
- Cold insulation : CI

/ Use


Indoor or outdoor use, for industry and electrical maintenance.

/ Advantages

- No metal parts - Suitable for ATEX areas
- Very wide fit
- Non-magnetic shoe
- Isothermal components

/ Technical specifications

- **Shape** : Low shoes
- **Available sizes** : 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48
- **Main color** : Black
- **Midsole material** : Metal free
- **Fastening** : Laces
- **Security toe cap material** : Composite
- **Toe cap energy absorption** : 200j
- **Metal free**
- **Lining material** : Textile
- **Upper material** : Leather
- **Upper finition** : Grain Leather, Pigmented
- **Design** : Industry
- **Benefits element** : Metal free, Shock absorbtion
- **Size range** : 35-48



/ Table legend

Complete the reference with the desired size.
(e.g. C90B-38)

Product reference	Shape	Outsole material
C90B	High shoes	PU, 2d
C90H	Low shoes	PU, 2d