



See online
technical sheet

/ COTD

Straight lugs with long shanks



/ Use

The straight long shank terminal is used for connecting electrical cables to structures, equipotential bonding bars, or on electrical equipment terminals.

/ Technical specifications

- Product specificity : Permanent
- Product kind : Accessories
- Short-circuit intensity $kA/0.5s$: 63
- Short-circuit intensity $kA/1s$: 30 à 40

/ Table legend

Application is by crimping, and requires special tooling comprising crimping pliers and associated dies.

Product reference	Composition	Weight (kg)
COTD120-10	Cosse tubulaire fût long pour câble 120mm ² , trou pour vis M10	0,113
COTD120-12	Cosse tubulaire fût long pour câble 120mm ² , trou pour vis M12	0,111
COTD150-12	Cosse tubulaire fût long pour câble 150mm ² , trou pour vis M12	0,163
COTD150-16	Cosse tubulaire fût long pour câble 150mm ² , trou pour vis M16	0,161
COTD185-14	Cosse tubulaire fût long pour câble 185mm ² , trou pour vis M14	0,192
COTD185-16	Cosse tubulaire fût long pour câble 185mm ² , trou pour vis M16	0,188
COTD75-10	Cosse tubulaire fût long pour câble 75mm ² , trou pour vis M10	0,062
COTD75-12	Cosse tubulaire fût long pour câble 75mm ² , trou pour vis M12	0,058