



See online
technical sheet

/ PG4HTA SERIE



/ Use

PG4HTA pliers enable the user to make a circular and longitudinal cut in order to remove the outer sheath of the cable.

All cutting depths are available on demand from 0.5 to 5mm.

/ Areas of activity



Cable & Connections



Production



Electrical distribution



Substation



Industry

/ Technical specifications

- **Specific tools :** Cable tools
- **Cable tools :** Cable tools
- **Areas of activity :** Cable & Connections, Electrical distribution, Industry, Production, Substation
- **For network cables :** medium voltage
- **Packaging :** Carton box
- **Weight (g) :** 870
- **Lenght (mm) :** 300
- **Width (mm) :** 110
- **Height (mm) :** 105
- **Max diameter (mm) :** 75
- **Mini diameter (mm) :** 47
- **Tools king :** Specific tools

/ Spare parts

	Reference	Designation
	MTC4/**	Circular cutting wheel
	LGPG	Set of blades for opening sheath
	MTL4/**	Longitudinal cutting wheel

Product reference	Circular cutting depth	Longitudinal cutting depth
PG4HTA/0808	0.8 mm	0.8 mm
PG4HTA/2020	2,0 mm	2,0 mm
PG4HTA/2528	2,5 mm	2,8 mm
PG4HTA/2533	2.5 mm	3.3 mm
PG4HTA/2828	2,8 mm	2,8 mm
PG4HTA/2833	2,8 mm	3,3 mm
PG4HTA/3033	3.0 mm	3.3 mm
PG4HTA/3035	3.0 mm	3.5 mm
PG4HTA/3535	3.5 mm	3.5 mm
PG4HTA/3538	3.5 mm	3.8 mm
PG4HTA/3540	3,5 mm	4,0 mm
PG4HTA/3838	3.8 mm	3.8 mm
PG4HTA/3333	3,3 mm	3,3 mm
PG4HTA/5050	5.0 mm	5.0 mm