

## / AFHVO-COM7

High visibility Arc Flash coveralls with retroreflective tapes, APC 1, ATPV  
8.8 cal/cm<sup>2</sup>, ELIM 7.9 cal/cm<sup>2</sup>



See online  
technical sheet



## / Standards

- EN ISO 11612:2015 (Flamme and heat) : A1, B1, C1, E2, F1
- EN ISO 11611 : A1
- EN ISO 11611:2015 (Welding protection) : Class 1
- EN13034:2005+A1:2009 (Chemical protection) : Type PB[6]
- EN1149 (Electrostatic property) : EN1149-5
- EN 61482:2 : APC 1 (4Ka)
- EN 61482-1-1
- ATPV (cal/cm<sup>2</sup>) : 8.8
- ELIM (cal/cm<sup>2</sup>) : 7.9
- EN ISO 20471 : Class 3

## / Use

Protection against thermal effects of an electric arc.

Protection for electricians against risks associated with operation of electricity networks.

## / Advantages

- Hi-viz
- Reflective piping
- Metal free

## / Technical specifications

- **Main color** : Orange
- **Workwear color** : Dark blue, Orange
- **Collar style** : Low blas collar
- **Fastening** : Zipper fastening, Flap, Snap fastener
- **Elastic** : Back
- **High Viz**
- **Top Reflective piping** : Chest and sleeves (4 bands)
- **Bottom reflective piping** : Pant (2 band)
- **Cloth composition table** : Composition - 50% polyester 49% cotton 1% antistatic fiber - 295 gsm | Pocket: 6x Fastening - Snap fastener, Flap | 2x Passant porte-dosimètre | Colerette de marquage intérieure



## / Measurement table

Size	Measurement type	Value	Measurement unit
<b>XS</b>	Chest	76-84	cm
	Neck	35-36	cm
<b>S</b>	Chest	85-92	cm
	Neck	37-38	cm
<b>M</b>	Chest	93-100	cm
	Neck	39-40	cm
<b>L</b>	Chest	101-108	cm
	Neck	41-42	cm
<b>XL</b>	Chest	109-116	cm
	Neck	43-44	cm
<b>2XL</b>	Chest	117-124	cm
	Neck	45-46	cm
<b>3XL</b>	Chest	125-132	cm
	Neck	47-48	cm
<b>4XL</b>	Chest	133-140	cm
	Neck	49-50	cm