



See online
technical sheet

/ MF2/60 SERIE

Multifunction tool for outer sheath and insulation



/ Standards

- ENEDIS

/ Use

The MF2/60-S enables the user to :

Remove the outer sheath (PE-PVC-PR) with a straight and neat cut

Set the length and remove thicker insulation with a straight and neat cut

/ Advantages

- Robust design
- Adjustment of the tool feed (chip thickness)
- Clean stop of the sheath and the insulation
- Outils 2 en 1 : Gaine - Isolant

/ Areas of activity



Cable & Connections



Substation



Electrical distribution



Industry

/ Technical specifications

- **Specific tools :** Cable tools
- **Cable tools :** Cable tools
- **Areas of activity :** Cable & Connections, Electrical distribution, Industry, Substation
- **For network cables :** medium voltage
- **Packaging :** Carton box
- **Weight (kg) :** 1.4
- **Length (mm) :** 170
- **Width (mm) :** 90

- **Height (mm) :** 120
- **Max diameter (mm) :** 58
- **Mini diameter (mm) :** 16
- **Tools king :** Specific tools

/ Spare parts

	Reference	Designation
	LMF2 SERIE	Insulation and sheath blades

/ Associated products

	Reference	Designation
	SRC	Adjustable scoring stylus for peelable semiconductor with chamfered transition
	MF1+/25	Tool for bonded semiconductor

Product reference	Cut deepness
MF2/60	7 mm
MF2/60-S	11 mm