



See online
technical sheet

/ C85B - C85H

Antistatic safety footwear, S3 FO CI SR



/ Standards

- Heel energy absorption : E
- Electrical properties : A
- Water resistance : WPA
- Cold insulation : CI

/ Use

For use in dry environments and in the presence of oils and hydrocarbons. Ideal for industrial floors and environments. For indoor and outdoor use.

/ Advantages

- Very good strength/flexibility ratio of the outsole
- Self-cleaning studs to use on soft ground
- Excellent grip on all types of ground thanks to the design and material of the sole

/ Technical specifications

- **Shape** : Low shoes
- **Available sizes** : 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48
- **Main color** : Black
- **Midsole material** : Steel
- **Fastening** : Laces
- **Outsole material** : PU, 2d
- **Security toe cap material** : Steel
- **Toe cap energy absorption** : 200j
- **Upper material** : Leather
- **Upper finition** : Hydro
- **Lining material** : Textile
- **Benefits element** : Shock absorbtion
- **Size range** : 35-48



Product reference	Shape	Weight EU	Weight EU	Weight US	Weight US
C85B	Low shoes	1200 g per pair	600 g per shoes	1.32 lbs per shoes	2.64 lbs per pair
C85H	High shoes	1360 g per pair	680 g per shoes	1.496 lbs per shoes	2.992 lbs per pair