

/ IS23TPC - IS23TPL

1000V Insulated male T-handle hex keys - Short and long version



See online
technical sheet



/ Technical specifications

- **Tools king** : Specific tools
- **Product universe** : Work
- **Penta marque** : PENTA ESP

/ Table legend

Overall length tolerance : ± 5 mm of the nominal value.

Product reference	Clamping key	Clamping key type	Clamping key kind	Weight	Length	Width	Height	General acceptance (mm)	Sides number
IS23TPC03	Polygonal wrench key	Male	isolate	50 g	140 mm	90 mm	18 mm	5	6 sides
IS23TPC04	Emanated wrench key	-	-	60 g	140 mm	90 mm	18 mm	5	-
IS23TPC05	Emanated wrench key	-	-	-	-	-	-	-	-
IS23TPC06	Emanated wrench key	-	-	80 g	140 mm	90 mm	18 mm	5	6 sides
IS23TPC08	Emanated wrench key	-	-	-	-	-	-	-	-
IS23TPL04	Emanated wrench key	-	-	-	-	-	-	-	-
IS23TPL05	Emanated wrench key	-	-	-	-	-	-	-	-
IS23TPL06	Emanated wrench key	-	-	-	-	-	-	-	-
IS23TPL08	Emanated wrench key	-	-	-	-	-	-	-	-