



See online technical sheet

/ MS4

1000V Insulated universal pliers



/ Standards

- NF EN 60900
- CEI 60900
- ISO 5743
- ISO 5744
- ISO 5746

/ Advantages

- Insulating reinforcements at the ends of the arms to protect against impact
- High performance chrome vanadium steel
- Bevelled head for better accessibility in tight spaces
- Serrated tips with "soft" profile to avoid damaging cables

/ Areas of activity

-  Cable & Connections
-  Electrical distribution
-  Industry
-  Electric mobility

/ Technical specifications

- **Areas of activity** : Cable & Connections, Electrical distribution, Industry, Electric mobility
- **Finition** : Burnished
- **Min. hardness (hrc)** : 55
- **Clamp cutting capacity** : Half strong wire cable
- **Clamp cutting capacity (mm²)** : 1,6
- **Tools king** : Specific tools
- **Tools kind** : Insulated clamps
- **TST tool type** : Isolated
- **CTST Data Sheet** : FT BT 401
- **Insulated clamps type** : Universal clamp

/ Table legend

Overall length tolerance : ± 10 mm of the nominal value.

Product reference	Weight	Lenght
MS4 145	190 g	145 mm
MS4 165	255 g	165 mm
MS4-185	320 g	185 mm
MS4-210	390 g	210 mm
MS4 220	450 g	220 mm