



See online
technical sheet

/ TOUCH-E NATURAL RUBBER INSULATING GLOVES



/ Standards

- CE category : Category 3
- Category : A, Z, C
- ASTM F2675
- EN 388 : 1121X
- IEC 61482 (electric arc)

/ Use

Orange natural rubber insulating gloves.
The thinness and grip area make them easy to handle.
hand-protection / TOUCH-E  / penta-catchprase-complement

/ Advantages

- Excellent dexterity
- Touch-sensitive
- Very good grip for maximum prehension in damp conditions

/ Areas of activity

-  Industry
-  Electric traction
-  Electric mobility
-  Civil security

/ Technical specifications

- Available sizes : 7, 8, 9, 10, 11
- ATPV (Cal/cm²) : 12
- Length (mm) : 360
- Main color : Orange
- Max voltage use : Alternative (V AC)
- Coating material : Latex
- Coating finition : Grip-textured
- Coating material and finition : Latex grip textured
- Number of layer : Single layer
- Electrical gloves cuff characteristic : Not bypassed
- Percentage of product weight made from recycled material (%) : 0

/ Accessories

	Reference	Designation
	EOS	Pneumatic gloves tester
	TS10	Canvas storage bag for electrician's gloves
	BGT	Insulating storage box for electrician gloves

/ Table legend

hand-protection / TOUCH-E  / penta-table-legend

Référence	Available sizes	Protection against electrical arc (ATPV)	Caractéristiques additionnelles
JFO36-0	7, 8, 9, 10, 11	HRC 2	Touch sensitive, ReaCh, Silicone Free, DMF free, Chrome free, SVHC free, Made in Europe, Phtalates free, Azo Free