

/ GS130

Combination spanner ATEX I



Çevrimiçi veri
sayfasına bakın



/ Standards

NF E 74400 / ISO 1711-1 / ISO 3318

/ Technical specifications

Open end head and ring inclined 15°.

2 heads with the same opening, allowing:

- for open end side : fast tightening,
 - for 12 sided ring side: effective locking.
- Other dimensions on request.

Product reference	Weight (g)	Tanımlama	Ouverture (mm)
GS130 08	45	Clé mixte 08 mm Atex I	08
GS130 09	45	Clé mixte 09 mm Atex I	09
GS130 10	45	Clé mixte 10 mm Atex I	10
GS130 11	45	Clé mixte 11 mm Atex I	11
GS130 12	80	Clé mixte 12 mm Atex I	12
GS130 13	85	Clé mixte 13 mm Atex I	13
GS130 14	105	Clé mixte 14 mm Atex I	14
GS130 15	120	Clé mixte 15 mm Atex I	15
GS130 16	135	Clé mixte 16 mm Atex I	16
GS130 17	140	Clé mixte 17 mm Atex I	17
GS130 18	170	Clé mixte 18 mm Atex I	18
GS130 19	195	Clé mixte 19 mm Atex I	19
GS130 21	265	Clé mixte 21 mm Atex I	21
GS130 22	305	Clé mixte 22 mm Atex I	22
GS130 23	330	Clé mixte 23 mm Atex I	23
GS130 24	350	Clé mixte 24 mm Atex I	24

Product reference	Weight (g)	Tanımlama	Ouverture (mm)
GS130 26	410	Clé mixte 26 mm Atex I	26
GS130 27	410	Clé mixte 27 mm Atex I	27
GS130 30	570	Clé mixte 30 mm Atex I	30
GS130 32	590	Clé mixte 32 mm Atex I	32